



PRIME DESIGNS

Laminate With Edgeband

Abhiyan Panel India LLP

CORP. & MARKETING OFFICE

B-1107, West Gate, Makarba,
Ahmedabad-380051, India.

FACTORY ADDRESS

Survey No. 405, Kadadra Road, Dehgam
Village, Gandhinagar-382305, Gujarat.

☎ 1800 572 7547 ✉ sales@abhiyangroup.in 🌐 www.abhiyanlam.in



SCAN THE QR TO
DOWNLOAD CATALOGUE

ELITE MODE

Taking you to a world of design, where advanced technology meets exceptional patterns and textures.

OUR COLLECTION:



SYNCWAVE



DISCOVER



SEASONS



EMINENCE



DECORIN



PRIME DESIGN

abhiyanlam
TIMELESS DECOR

Abhiyan Lam The Creator Of Exceptional And Exquisite Modern Laminates, Is Ecstatic To Present Their Latest Collection. Featuring A Well Curated And Selected Collection Of Design And Finishes,

Abhiyan Lam Has Tried To Cover All The Requirements Of Modern Consumer With Offerings That Cover Colorful Laminates To The More Rustic Wooden Laminates,

This Collection Is Well On Its Way To Become The Preferred Choice Of Modern Home owners, Interior Designers, Architects And Developers All Around And Abhiyan Lam is committed to expanding and perfecting this collection, continuously elevating its offerings to meet the future demands of the market.

FEATURES:



MOISTURE RESISTANT



HIGH ABRASION



LOW VOC



EASY TO CLEAN



STAIN RESISTANT



HEAT RESISTANT



TEXTURE MATCHING
ABHIYAN EDGE



ABRASION RESISTANT



HIGH FLEXIBILITY




100 % PHENOLIC

FABRIC
TEXTURE

ABHIYAN
EDGE

COLLECTION



SOLID
TEXTURE

WOODEN
TEXTURE

**SOLID
TEXTURE:**

Introducing new solid texture in prime design which add a pop of vibrancy with finishes that capture attention. Rich tones and bold hues bring life to every corner, creating a dynamic ambience.

**FABRIC
TEXTURE:**


Introducing new Soft, luxurious fabric textures that invite relaxation. Each detail adds a touch of style and elevates the overall feel of your space

**WOODEN
TEXTURE:**


Introducing a new wooden texture that makes your space stand out with every glance.

**ABHIYAN
EDGE:**



For every unique laminate, there's a perfect edge band to match.




A112 SF
OFF WHITE




A117 SF
NIKLE GREY



A184 SF
GINGER DARK




A183 SF
GINGER LIGHT



A131 SF
LIGHT BEIGE




A133 SF
DARK BEIGE



A124 SF
CERAMIC GREY



A153 SF
CHARCOAL GREY



A191 SF
LIGHT GREY



A192
DARK GREY



A199 SF
BLACK



A154 SF
PANTONE GREY

PREMIUM



75 W
110 H mm

NEW


A183 LR GINGER LIGHT

PREMIUM




NEW

A153 LR CHARCOAL GREY



ENTICING


PREMIUM



NEW

A191 LR LIGHT GREY

PREMIUM



NEW

A131 LR LIGHT BEIGE

PREMIUM




NEW


A124 LR CERAMIC GREY



A326 MT
KALHARI LIGHT



A327 MT
KALHARI DARK





A328 MT
TERRAZO DARK





A329 MT
TERRAZO LIGHT

LET THE ESSENCE OF STONE DEFINE YOUR SPACE WITH UNMATCHED TEXTURE AND CHARACTER



NEW






165 W
95 H mm

A541 SF

FAB CREAM



165 W
95 H mm

A525 SF


CAMBRIC LIGHT



75 W
110 H mm

A540 SF


FAB GREY



75 W
110 H mm

A504 SF

DIAGO FAB



75 W
110 H mm

A544 SF


CAMBRIC



75 W
110 H mm

A526 SF

CAMBRIC DARK




165 W
95 H mm

NEW

A509 SF


GAUZE FAB CREAM



75 W
110 H mm

A505 SF

SNOW FAB



75 W
110 H mm

A506 SF

DUSK FAB



75 W
110 H mm

NEW

A538 SF


MESH WOOL



75 W
110 H mm

A510 SF


LINEN



75 W
110 H mm

A512 SF

HERRING FAB DARK



75 W
110 H mm

A511 SF

HERRING FAB LIGHT


PREMIUM



NEW

A502 FAB OXFORD BROWN

PREMIUM



NEW

A515 FAB OXFORD LIGHT



A525 FAB

A540 FAB


PREMIUM



NEW

A525 FAB CAMBRIC LIGHT


PREMIUM



NEW

A541 FAB FAB CREAM

PREMIUM



NEW

A540 FAB FAB GREY



 **A750 SF**
URBAN TEAK



 **A751 SF**
NATURAL OAK

165 W
95 H mm



 **A720 SF**
HONEY TEAK



 **A721 SF**
GINGER TEAK



 **A752 SF**
NIAGRA OAK




 **A753 SF**
NIAGRA OAK DARK



165 W
95 H mm




A741 SF
SAPELI



165 W
95 H mm




A786 SF
VIROLA WOOD



75 W
110 H mm




A746 SF
MOLDAU ACACIA LIGHT



75 W
110 H mm




A747 SF
MOLDAU ACACIA DARK



75 W
110 H mm




A784 SF
MAGAS WALNUT



75 W
110 H mm



A785 SF
HORN BEAM



A759 SF
AMERICAN WALNUT



75 W
110 H mm



A725 SF
SMOKED OAK



75 W
110 H mm



A726 SF
STRAIGHT OAK



75 W
110 H mm



A739 SF
HIGHLAND PINE

NEW



75 W
110 H mm



A771 SF
BAVERIAN BEACH

NEW



75 W
110 H mm



A769 SF
OMBRE WOOD LIGHT

NEW



75 W
110 H mm



A768 SF
OMBRE WOOD SEASONED

NEW

PREMIUM



165 W
95 H mm



A750 ASH
URBAN TEAK

PREMIUM



165 W
95 H mm



A786 ASH
VIROLA WOOD

PREMIUM



A725 ASH
SMOKED OAK

PREMIUM



A751 ASH
NATURAL OAK

PREMIUM



A784 ASH
MAGAS WALNUT

Sr. No	Design Number	Texture	Design Name	ABHIYAN EDGE	Page No.	Sr. No	Design Number	Texture	Design Name	ABHIYAN EDGE	Page No.
1	A112	SF	OFF WHITE	EDGE-A112	7	36	A506	SF	DUSK FAB	EDGE-A506	17
2	A117	SF	NIKLE GREY	EDGE-A117	7	37	A538	SF	MESH WOOL	COMING SOON	18
3	A131	SF	LIGHT BEIGE	EDGE-A131	7	38	A510	SF	LINEN	EDGE-A510	18
4	A133	SF	DARK BEIGE	EDGE-A133	7	39	A512	SF	HERRING FAB DARK	EDGE-A512	18
5	A124	SF	CERAMIC GREY	EDGE-A124	7	40	A511	SF	HERRING FAB LIGHT	EDGE-A511	18
6	A153	SF	CHARCOAL GREY	EDGE-A153	7	41	A502	FAB	OXFORD BROWN	COMING SOON	19
7	A184	SF	GINGER DARK	COMING SOON	8	42	A515	FAB	OXFORD LIGHT	COMING SOON	19
8	A183	SF	GINGER LIGHT	COMING SOON	8	43	A525	FAB	CAMBRIC LIGHT	COMING SOON	20
9	A191	SF	LIGHT GREY	EDGE-A191	8	44	A541	FAB	FAB CREAM	COMING SOON	20
10	A192	SF	DARK GREY	EDGE-A192	8	45	A540	FAB	FAB GREY	COMING SOON	20
11	A199	SF	BLACK	EDGE-A199	8	46	A750	SF	URBAN TEAK	EDGE-A750	21
12	A154	SF	PANTONE GREY	COMING SOON	8	47	A720	SF	HONEY TEAK	EDGE-A720	21
13	A183	LR	GINGER LIGHT	EDGE -A183 PR	9	48	A721	SF	GINGER TEAK	EDGE-A721	21
14	A153	LR	CHARCOAL GREY	EDGE -A153 PR	9	49	A751	SF	NATURAL OAK	EDGE-A751	22
15	A191	LR	LIGHT GREY	EDGE-A191 PR	10	50	A752	SF	NIAGRA OAK	EDGE-A752	22
16	A131	LR	LIGHT BEIGE	EDGE-A131 PR	10	51	A753	SF	NIAGRA OAK DARK	EDGE-A753	22
17	A124	LR	CERAMIC GREY	EDGE-A124 PR	10	52	A741	SF	SAPELI	EDGE-A741	23
18	A326	MT	KALHARI LIGHT	EDGE-A326	12	53	A746	SF	MOLDAU ACACIA LIGHT	EDGE-A746	23
19	A327	MT	KALHARI DARK	EDGE-A327	12	54	A747	SF	MOLDAU ACACIA DARK	EDGE-A747	23
20	A328	MT	TERRAZO DARK	EDGE-A328	12	55	A786	SF	VIROLA WOOD	EDGE-A786	24
21	A329	MT	TERRAZO LIGHT	EDGE-A329	12	56	A784	SF	MAGAS WALNUT	EDGE-A784	24
22	A519	SF	BLENDED FAB GREY	EDGE-A519	13	57	A785	SF	HORN BEAM	EDGE-A785	24
23	A518	SF	BLENDED FAB CREAM	EDGE-A518	13	58	A759	SF	AMERICAN WALNUT	EDGE-A759	25
24	A524	SF	DOT FAB BEIGE	COMING SOON	13	59	A725	SF	SMOKED OAK	EDGE-A725	25
25	A515	SF	OXFORD LIGHT	EDGE-A515	14	60	A726	SF	STRAIGHT OAK	EDGE-A726	25
26	A502	SF	OXFORD BROWN	EDGE-A502	14	61	A739	SF	HIGHLAND PINE	COMING SOON	26
27	A503	SF	OXFORD CREAM	EDGE-A503	14	62	A771	SF	BAVERIAN BEACH	COMING SOON	26
28	A541	SF	FAB CREAM	EDGE-A541	15	63	A769	SF	OMBRE WOOD LIGHT	COMING SOON	26
29	A540	SF	FAB GREY	EDGE-A540	15	64	A768	SF	OMBRE WOOD SEASONED	COMING SOON	26
30	A504	SF	DIAGO FAB	EDGE-A504	15	65	A750	ASH	URBAN TEAK	EDGE-A750 PR	27
31	A525	SF	CAMBRIC LIGHT	EDGE-A525	16	66	A725	ASH	SMOKED OAK	EDGE-A725 PR	27
32	A544	SF	CAMBRIC	EDGE-A544	16	67	A786	ASH	VIROLA WOOD	EDGE-A786 PR	28
33	A526	SF	CAMBRIC DARK	EDGE-A526	16	68	A751	ASH	NATURAL OAK	EDGE-A751 PR	28
34	A509	SF	GAUZE FAB CREAM	COMING SOON	17	69	A784	ASH	MAGAS WALNUT	EDGE-A784 PR	28
35	A505	SF	SNOW FAB	EDGE-A505	17						

PROPERTIES	SPECIFIED VALUES AS PER IS:2046-1995, TYPE S, VGS	ABHIYAN CONFORMS
Product		
High Pressure Decorative laminated sheets		
Dimensional Stability at deviated temperature - Longitudinal (%) - Transverse (%)	0.55 (maximum) 1.025 (maximum)	0.35 (maximum) 0.75 (maximum)
Dimensional Stability at 20° C - Longitudinal (%) - Transverse (%)	0.375 (maximum) 0.60 (maximum)	0.275 (maximum) 0.49 (maximum)
Resistance to dry heat 180° C	Not Worse Than Grade 4	Passed
Resistance to immersion in boiling water - Mass increase (%) - Thickness increase (%) - Appearance	10.0 (maximum) 11.8 (maximum) Not Worse Than Grade 4	6.5 (maximum) 7.8 (maximum) Passed
Resistance to impact by small diameter ball	20 N (minimum)	25 N (minimum)
Resistance to cracking	Not Worse Than Grade 4	Passed
Resistance to scratching	2 N (minimum)	3 N (minimum)
Resistance to staining	Not Worse Than Grade 5	Passed
Resistance to cigarette burns	Not Worse Than Grade 4	Passed
Resistance to steam	Not Worse Than Grade 4	Passed
Resistance to colour change (wool standards) - In Xenon arc light - In enclosed Carbon arc light	Not Worse Than Grade 6 Not Worse Than Grade 5	Passed Passed
Appearance	Should Be Free From Foreign Particles	Passed

FEATURES

A complete dimensionally stable product with the unique resistance power against Surface Wear, Any kind of Stain, Immersion in Boiling Water Scratches, Cigarette Burns

PRODUCT SPECIFICATIONS		
Product	Size	Finish
Decorative Laminate Sheets	2440 x 1220 mm	Matt, SF, LR & FAB



Maintenance: Clean with mild soap solutions or household detergent, abrasive cleaners should not be used. It is recommended for vertical use only. Avoid direct sunlight.

Resistance: To surface wear, immersion in boiling water, dry heat, impact by small dia, ball, cigarette burns, staining, scratches, color change in xenon light.

STORAGE

Vertical storing is not recommended for liner laminates. Protect it from water & moisture & never store directly on the floor or touching the wall. Kindly store the sheets horizontally with a thick board at top and bottom to avoid any damage.

NOTE:

Please do not use plywood with high moisture content, uneven surface and inferior quality as it will lead to air bubbles between plywood & laminates. Insufficient quality or inferior quality of adhesive will also lead to delamination or air bubbles. The company will not entertain any complaint in this regards.